

# **SHEFFIELD TOWNSHIP BOARD OF TRUSTEES**

## **Meeting Minutes**

10/21/2013

### **I. Call to order**

**CHAIRMAN Ken Kister** called to order the regular meeting of the **SHEFFIELD TWP. TRUSTEES** at **7PM** on **10/21/2013** at the **SHEFFIELD FIRE DEPT.**, followed by the Pledge of Allegiance.

The following persons were present: ALAN KOHTA, DALE SACKETT, KEN KISTER, ELLEN WEIR, WANDA & ROY CUSANO, MARY DOWNS, ROBIN PARSONS, TATIANA DEGAN, NATALIE SHAUBERGER, BARB AND DAVE KRAY, DEAN BOWERS AND DAWN DIETZ was absent.

The minutes were approved by the trustees with the following correction; adding unit 361 and pump testing

Warrants 3890 to 3903 in the amount of \$ 11817.88 were paid.

Receipts in the amount of \$ 4684.51 were deposited.

EFT payroll amounts for \$1330.04 were paid

ECS Illuminating Co \$879.92 ECS Andover Bank Loader payment \$6995.49

### **II. OPEN BUSINESS**

#### **1. Waterline tap in fee.**

### **III OPEN ISSUES**

- a) Mr. Cusano (resident) nothing
- b) Mrs. Cusano (resident) nothing
- c) Mrs. Degan (resident) nothing
- d) Mrs. Downs (resident) nothing
- e) Mrs. Weir (resident) stated still too wet on Pebbles Rd.
- f) Natalie Shauberger (resident) nothing
- g) Mrs. Parsons (resident) nothing
- h) Dean (zoning) stated he received calls inquiring about commercial property in the area.
- i) Barb (fire dept) nothing. Kenny thanked her for putting up the Halloween date information.
- j) Dave (fire dept) stated unit 371 had a damaged steering tire. Tire is ordered. Unit 371 would not start, 2 batteries replaced. Unit 369 has an oil leak, would not start – repaired. FAST Allegheny gave Pump and ladder test report, gave recommendations of repairs. Fluid and oils are changed in units. Dave to bring report. Dave said Benetka Road is smoother.
- k) Alan (trustee) stated Shirley Nardusi said thanks for trimming branches. Alan stated drove roads, a little water sitting, but overall good. Pine Lake has trees growing on the ditch lines. Alan to notify Mark. Alan called Apple for quote on generator cost is \$180.00. Alan to schedule pm with Apple Heating. Alan stated a member on the fire dept. has a permit for a concealed weapon, can he carry it if he has a Sheffield Vol. Fire Dept tee shirt on. Recommended by Dave he changes his shirt. Alan and Kenny agreed.
- l) Dale (trustee) stated attended the county meeting they went over Issue 1. On Benetka Rd there is a pile of brush. Dale asked about if the filter and air dryer is changed on the Mack truck – Kenny stated tomorrow. Dale spoke with Leroy regarding changing the speed limit. He does not recommend the whole township. He said we need a resolution to send to county, they will come out to survey, and then they will send us a resolution with their recommendation.

Alan suggested Maple Rd. because of the traffic from Fischer's Pine Lake. Discussion on asking Fischer's for signs re-routing traffic next spring.

**Resolution # 61 To have County survey Maple Rd. from Rt. 193 to Plymouth Gageville and Benetka Rd. between Plymouth Gageville and Plymouth Ridge Rd. for speed control, Dale made a motion, Kenny 2<sup>nd</sup>. All in favor.**

Dale to call Leroy at the county. Kenny asked if Dale would ask Leroy if he has heard about changing Google Maps to reroute an address.

Mrs. Raydak complaint is about a barn falling down and a couple of vehicles. The resident who is complaining wants to volunteer to go in and clean up her area. Trustees discussed, they decided they have no authority in this area.

- m) Ken (chairman) stated Mark ordered road signs (Dibble and Dewey) Delineators will go up. Gave information on open burning. Kenny gave ad information for Mack truck. Discussion on how to advertise the vehicle.
- n) Dawn (fiscal officer) absent - gave checks and correspondence to trustees. Gave (1) Cemetery Deeds

### **III. ADJOURNMENT**

Alan made motion to adjourn the meeting, Dale 2<sup>nd</sup> all in favor, 8:09 pm

I hereby certify there are sufficient funds in the depository to pay the above warrants.

X

---

Minutes approved by: Ken Kister